

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/850,082	05/08/2001	Maria Jesus Perez	60004398-1	9766		
7	590 10/30/2002					
HEWLETT-PACKARD COMPANY Intellectual Property Adminstration P.O. Box 272400 Fort Collins, CO 80527-2400			EXAM	EXAMINER		
			COLILLA, DANIEL JAMES			
Fort Collins, C	U 80327-2400		ART UNIT	PAPER NUMBER		
			2854			

DATE MAILED: 10/30/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application	No.	Applicant(s)				
		09/850,082		PEREZ ET AL.				
		Examiner		Art Unit				
		Dan Colilla		2854				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status								
1)⊠ Responsive to communication(s) filed on <u>08 May 2001</u> .								
2a) ☐ This action is FINAL .	2b)⊠ Thi	s action is no	n-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims								
4) Claim(s) 1-20 is/are pending in the application.								
4a) Of the above claim(s) is/are withdrawn from consideration.								
5) Claim(s) is/are allowed.								
6) Claim(s) <u>1-20</u> is/are rejected.								
7) Claim(s) is/are objecte								
8) Claim(s) are subject to Application Papers	restriction and/or	election requ	uirement.					
·· _	hy the Eveniner							
9) The specification is objected to	•		n)	a Evaminar				
10)⊠ The drawing(s) filed on <u>08 May</u> Applicant may not request that		•	•					
					or.			
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner. If approved, corrected drawings are required in reply to this Office action.								
12) The oath or declaration is objected to by the Examiner.								
Priority under 35 U.S.C. §§ 119 and 120								
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
a) ☐ All b) ☐ Some * c) ☐ None of:								
1. Certified copies of the priority documents have been received.								
2. Certified copies of the priority documents have been received in Application No								
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).								
a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.								
Attachment(s)								
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Residue of Draftsperson of Draftsp		5)		r (PTO-413) Paper No(Patent Application (PTC				

Art Unit: 2854

DETAILED ACTION

Claim Objections

1. Claim 12 is objected to because of the following informalities: in claim 12, "said plot stream sending step" is vague and indefinite since applicant has previously recited two such steps, one in claim 10 and one in claim 11. Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in-
- (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effect under this subsection of a national application published under section 122(b) only if the international application designating the United States was published under Article 21(2)(a) of such treaty in the English language; or
- (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that a patent shall not be deemed filed in the United States for the purposes of this subsection based on the filing of an international application filed under the treaty defined in section 351(a).
- 3. Claims 1-2 and 10 are rejected under 35 U.S.C. 102(e) as being anticipated by Silverbrook et al.

With respect to claim 1, Silverbrook et al. discloses a method of printing with a large format printer including the steps of feeding a roll paper from a feed spool 40 to a take-up spool 42 while driving the spools with a motor and gearbox assemblies 44 (Silverbrook et al., col. 7, lines 32-39). As best shown in Figures 12 and 26, Silverbrook et al. discloses that the supply spool rotates in a clockwise direction (Figure 12) and that the take-up spool rotates in a counter-clockwise direction (Figure 26). The leading edge of the paper must be advanced through the printer and inserted into the take-up spool in

Art Unit: 2854

order for the printer to function. Furthermore, although Silverbrook et al. does not explicitly disclose that a curl in the paper is removed by the printing process, it is inherent that a certain amount of curl will be removed when the paper is unwound in one direction and rewound in the opposite direction.

With respect to claim 2, Figures 25A and 25B of Silverbrook et al. show a cutting device used for cutting the print medium.

With respect to claim 10, Silverbrook et al. discloses the method of printing as mentioned in the above prior art rejection of claim 1. Silverbrook et al. further discloses the step of printing with printhead unit 3 (which implies a printing signal is sent to the printhead).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 3 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. in view of Yonekubo.

With respect to claims 3 and 16, Silverbrook et al. discloses a method of printing as mentioned above except that it is not known if the activation of the take-up reel is located on a front panel of the printer. However, positioning of a power button on a panel of a printer is extremely well known as is shown by Figure 1 Yonekubo which shows a panel 4 with a power switch 5. It would have been obvious to combine the

Art Unit: 2854

teaching of Yonekubo with the method of printing disclosed by Silverbrook et al. for the advantage of a conveniently placed control for turning power to the printer on and off.

6. Claims 4-5 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. as applied to claims 1-2 and 10 above, and further in view of Clark.

With respect to claims 4 and 17, Silverbrook et al. discloses the method of printing as described above except for the ability to turn off a nesting feature. However, Clark discloses printing in a mode in which an array of images is printed across the width of a printing medium (a nesting feature as defined by applicant). Clark also discloses a mode in which only one image is printed across the width of the printing medium. Thus, when this second mode of printing is operating, the nesting feature is essentially deactivated. It would have been obvious to combine the teaching of Clark with the method of printing disclosed by Silverbrook et al. for the advantage of maximizing the space on the printing medium and reducing paper waste. With further respect to claim 17, while it is not known if Clark discloses deactivating a nesting feature prior to loading the print medium, it is well-known in general to load print medium to a printer as it is needed. There does not appear to be any criticality to the order of the steps of loading a print medium and selecting or deselecting a printing mode.

With respect to claim 5, as mentioned above, Silverbrook et al. discloses a control panel 57, and there appears to be no unobvious in providing the controls of a printer in the control panel.

Art Unit: 2854


7. Claims 6-7 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. as applied to claims 1-2 and 10 above, and further in view of Kaneko et al.

With respect to claims 6 and 18, Silverbrook et al. discloses the method of printing as described above except for the extended margins feature. However, Kaneko et al. discloses a margin adjusting mode which allows the enlargement of a print range by adjusting left and right margins. It would have been obvious to combine the teaching of Kaneko et al. with the method of printing disclosed by Silverbrook et al. for the advantage of allowing the user more control in placement of an image on a printing medium

With respect to claim 7, Kaneko et al. discloses that the margin switches are at the operating section of the printer.

8. Claims 8 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. as applied to claims 1-2 and 10 above, and further in view of Winter et al. and Shinohara et al.

With respect to claims 8 and 20, Silverbrook et al. discloses a method of printing as mentioned above except for the ability to turn off a color calibration feature. However, Winter et al. teaches a method of printing which includes a color calibration or a "no adjustment" option (Winter et al., col. 5, lines 14-21). It would have been obvious to combine the teaching of Winter et al. with the printing method disclosed by Silverbrook et al. for the advantage of correcting color information to produce a more accurate image. Shinohara et al. teaches the provision of a control panel 200 on a printer for the input of



Art Unit: 2854

color information. It would have been obvious to combine the teaching of Shinohara et al. with the printer disclosed by Silverbrook et al. in view of Winter et al. for the advantage of allowing the operator to make color adjustments at the printer as they view the printing.

9. Claims 9 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. as applied to claims 1-2 and 10 above, and further in view of Suga.

With respect to claims 9 and 19, Silverbrook et al. discloses the printing process as mentioned above except for the step of deactivating a "clean platen feature."

However, Suga discloses a printer that is provided with a platen-cleaning member 17 and can operate in a platen-cleaning mode. Thus when the printer is in the normal recording mode, the platen-cleaning mode would be disabled. It would have been obvious to combine the teaching of Suga with the method of printing disclosed by Silverbrook et al. for the advantage or maintaining the platen in a clean state so that undesired markings are not formed on a printing medium.

With further respect to claim 19, while it is not known if Clark discloses deactivating a cleaning feature *prior* to loading the print medium, it is well-known in general to load print medium to a printer as it is needed. There does not appear to be any criticality to the order of the steps of loading print medium and deactivating or activating a platen cleaning step.

Art Unit: 2854

10. Claims 11 and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. as applied to claims 1-2 and 10 above, and further in view of Ishida.

With respect to claim 11, Silverbrook et al. discloses the claimed method of printing except for the step of removing the first core and placing the first core on a spindle for printing on a second side. However Ishida teaches a printer in which a supply roll 3 and a take-up roll 5 are rotated in opposite directions and in which the take-up roll 5 is removed from the take-up position and put in the supply box 4 so that a second side of the print medium is printed on (see paragraph [0008] of the machine translation of Ishida). Although Ishida does not disclose placing the first core onto a spindle, this feature is well-known mechanical expedient for unwinding printing medium as is shown by supply shaft 42 in Figure 4 of Silverbrook et al.

With respect to claim 13, both Silverbrook et al. and Ishida disclose a printing method which winds the material being printed on a core. While it is not known to the examiner if Ishida reuses a core or provides an additional core in the printing of the second side or the print media, it would have been obvious that such a core (old or new) is required.

With respect to claims 14-15, the step recited is simply a repetition of previously recited steps. It would have been obvious to repeat these known steps as many times as is required by the user.



Art Unit: 2854

11. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. in view of Ishida as applied to claim 11 above, and further in view of Takayama et al.

Silverbrook et al. in view of Ishida discloses the claimed printing method except for the step of electronically switching the order of the plot stream. However, Takayama et al. discloses a printer that allows a user to change the orientation of an electronic image using a control panel 28 with a template ROM 27 (Takayama et al., col. 7, lines 36-46). It would have been obvious to combine the teaching of Takayama et al. with the method of printing disclosed by Silverbrook et al. in view of Ishida for the advantage or allowing a user to modify an input image such as by trimming, enlargement, and orientation changes so that the desired printed image is obtained.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dan Colilla whose telephone number is (703) 308-2259. The examiner can normally be reached M-F, 8:30-5:30. Faxes regarding this application can be sent to (703) 746-4405.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached at (703)305-6619. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Dan Colilla Primary Examiner Art Unit 2854

October 25, 2002